

WITH SCIENCE



WE DEFEND

**TECHNICAL REPORT
NATICK/TR-99/013**

AD _____

VARIABLES AFFECTING THE ACCEPTABILITY OF IRRADIATION STERILIZED GROUND BEEF PRODUCTS AND THE EFFECTS OF FLAVORED SALTS, PEPPER, AND TEXTURED SOY PROTEIN

by
Joseph S. Cohen
Gary W. Shults
and
Vera C. Mason

January 1999

Final Report
1977 and 1978

Approved for Public Release; Distribution Unlimited

19990125 064

**U.S. ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND
SOLDIER SYSTEMS CENTER
NATICK, MASSACHUSETTS 01760-5018**

DISCLAIMERS

The findings contained in this report are not to
be construed as an official Department of the Army
position unless so designated by other authorized
documents.

Citation of trade names in this report does not
constitute an official endorsement or approval of
the use of such items.

DESTRUCTION NOTICE

For Classified Documents:

Follow the procedures in DoD 5200.22-M, Industrial
Security Manual, Section II-19 or DoD 5200.1-R,
Information Security Program Regulation, Chapter IX.

For Unclassified/Limited Distribution Documents:

Destroy by any method that prevents disclosure of
contents or reconstruction of the document.

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)			2. REPORT DATE January 1999			3. REPORT TYPE AND DATES COVERED FINAL 1977 - 1978		
4. TITLE AND SUBTITLE VARIABLES AFFECTING THE ACCEPTABILITY OF IRRADIATION STERILIZED GROUND BEEF PRODUCTS AND THE EFFECTS OF FLAVORED SALTS, PEPPER AND TEXTURED SOY PROTEIN			5. FUNDING NUMBERS C 8AB81A N 3122					
6. AUTHOR(S) Joseph S. Cohen, Gary W. Shults, and Vera C. Mason								
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Soldier and Biological Chemical Command Soldier Systems Center ATTN: SBCCOM: W Natick, MA 01760-5018			8. PERFORMING ORGANIZATION REPORT NUMBER NATICK/TR-99/013					
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER					
11. SUPPLEMENTARY NOTES								
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					12b. DISTRIBUTION CODE			
13. ABSTRACT (Maximum 200 words) Irradiation sterilized ground beef patties were prepared with the addition of textured soy protein (TSP), pepper, salt, onion salt and garlic salt. The patties were then sensory tested by a series of eight-member trained panels. The addition of 20%TSP had no effect on the sensory results, except that it gave a preferred color. The addition of 0.2% pepper gave a more preferred product. The other flavoring additions all gave a highly acceptable product with no preference shown for any of the flavors. This study demonstrated that an acceptable irradiation sterilized ground beef product can be successfully prepared.								
14. SUBJECT TERMS GROUND BEEF SALTS TEXTURED SOY PROTEIN SOY PROTEIN PEPPER SENSORY TESTING ACCEPTABILITY IRRADIATION IRRADIATION STERILIZED FOODS						15. NUMBER OF PAGES 29		
						16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT SAR		

TABLE OF CONTENTS

	<u>Page</u>
List of Tables	iv
Preface	v
Introduction	1
Experimental Design	1
Results and Discussion	2
Summary	19
References	20

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Ingredients in Different Samples	3
2. Combinations of Products on Individual Tests (Eight Member Panels)	3
3. Preference Scores for Individual Samples	4
4. Color Sensory Scores for Individual Samples	5
5. Odor Sensory Scores for Individual Samples	6
6. Flavor Sensory Scores for Individual Samples	7
7. Texture Sensory Scores for Individual Samples	8
8. Appearance Sensory Scores for Individual Samples	9
9. Effect of TSP on Sensory Scores	10
10. Effect of Pepper on Sensory Scores	12
11. Effect of Added Flavorings on Preference Scores	13
12. Effect of Added Flavorings on Sensory Color Scores	14
13. Effect of Added Flavorings on Sensory Odor Scores	15
14. Effect of Added Flavorings on Sensory Flavor Scores	16
15. Effect of Added Flavorings on Sensory Texture Scores	17
16. Effect of Added Flavorings on Sensory Appearance Scores	18
17. Effect of Salt, Onion Salt and Garlic Salt on Sensory Scores	19
18. Proximate Analysis of Raw Product	19

PREFACE

This report describes research conducted by members of the Irradiated Food Products Group, Radiation Preservation of Food Division, Food Engineering Laboratory, US Army, Natick Research and Development Command in 1977 and 1978.

It is being published now as the Army has expressed a need for irradiation sterilized meat products, (Loveridge, 1994). The data is relevant.

Ground beef patties were prepared with the addition of textured soy protein (TSP) and various flavorings. The added flavorings were: salt, pepper, onion salt and garlic salt. The beef patties were then irradiation sterilized and sensory tested by trained panels of eight persons. The sensory results were then combined in various ways to show the effect of the flavorings.

The addition of 20% TSP had no effect on sensory results except that it gave a preferred color. The addition of 0.2% pepper gave a more preferred product. The flavoring additions all gave a highly acceptable product with no preference shown for any of the flavorings.

Citation of trade names in this report does not constitute an official endorsement or approval of such items.

VARIABLES AFFECTING THE ACCEPTABILITY OF IRRADIATION STERILIZED GROUND BEEF PRODUCTS AND THE EFFECTS OF FLAVORED SALTS, PEPPER AND TEXTURED SOY PROTEIN

Introduction

The use of soy protein analogs as meat extenders is becoming more widespread (Pearson, 1973). By allowing the replacement of up to 30% of the ground beef in products in the school lunch program with a hydrated textured soy protein (TSP) containing 60 to 65% moisture, the United States Department of Agriculture's (USDA) Food and Nutrition Service has provided great impetus to its use (FNS Notice 219, 1971).

Problems of consumer acceptance of this form of product still exist. Cohen et al. (1976) investigated the effect of different levels of fat and TSP in a ground beef product containing salt and phosphates to improve juiciness. Their work was done with an irradiation sterilized ground beef product.

Cross et al. (1975) reported that beef patties with TSP at a 25% level of fat rated higher in tenderness than patties without TSP addition. Also, addition of TSP to beef patties did not significantly affect consumer panel ratings. Patties with 12.5 or 20% TSP levels had equal or superior palatability ratings when compared to patties without TSP.

This investigation deals with the effects of TSP addition at a 20% level and the addition of flavorings, salt, onion salt, garlic salt and pepper in various combinations, on the expert panel ratings of different sensory attributes and the total preference of an irradiation sterilized ground beef product.

Experimental Design

The samples of ground beef all contained the same amount of fat, approximately 9.5%. They also contained either no added TSP or 20% hydrated TSP (approximately 70% moisture). The TSP used is the fibrous product manufactured by Ral-Con Corporation. It has a dark brown color and contains 0.27 to 0.28% added phosphorous in the form of sodium tripolyphosphate (TPP) ($\text{Na}_5\text{P}_3\text{O}_{10}$).

The ground beef was prepared from USDA Choice whole rounds, consisting of semimembranosus, semitendinosus, and biceps femorus attached muscles, about seven to ten days post-mortem. They were trimmed to approximately 9.5% fat, cut into small pieces and ground through a 13 mm breaker plate. The rehydrated TSP was also ground through the same plate.

The ground meat was then mixed with 3.0% ice, TSP, TPP and flavorings (salt, onion salt, garlic salt and pepper in varying concentrations). Mixing was done in a Hobart Model No. H-600-D™ mixer for five minutes at moderate speed.

The mixed ground meat was then formed into patties, 120 + 2 g in weight and 52 + 2 mm in diameter. The patties were enzyme inactivated in a 245 + 10 °C oven for eight minutes on one side, turned and cooked for three minutes on the other side. An internal temperature of 80 + 5 °C was achieved.

Four ground beef patties were packed in a 404 x 309 size can, with epoxy-phenolic enamel, and sealed under a pressure of 7 + 1 kPa. The cans were held at -40 + 2 °C until irradiation processing.

The ground beef patties in cans were irradiated in a Co^{60} gamma ray source. They received a dose of 37 ± 10 k γ at a processing temperature of $-30 \pm 2^\circ\text{C}$ and held at room temperature until tested by a trained panel of eight members. The samples were heated to $60 \pm 3^\circ\text{C}$ before serving. The panelists were asked to rate the samples for the characteristics of odor, flavor, color, texture and appearance using an intensity scale of: 1 - extremely poor; 2 - very poor; 3 - poor; 4 - below fair, above poor; 5 - fair; 6 - below good, above fair; 7 - good; 8 - very good; 9 - excellent. In addition, preference ratings were obtained from the panels using a hedonic scale of one to nine with one meaning dislike extremely to nine meaning like extremely, Peryam and Pilgrim (1957). A rating of five "neither like nor dislike or above was considered to be acceptable for an irradiated ground beef patty.

Six products were served to the panelists at a temperature of $60 \pm 3^\circ\text{C}$. On any individual test, the patties were cut into quarter sections and served on a random basis to minimize any position effect. Each product was served on two different tests, with different products, to achieve a total number of 16 ratings. Table 1 lists the variables involved with the experiment. Table 2 lists the products served on each test. The eight-member panel was generally the same for each test.. When all the results were obtained they were combined in various ways and the data was analyzed by analysis of variance as outlined by Snedecor and Cochran (1967).

The method of combining tests scores from different tests was decided upon as the best method for increasing the validity of the data and to achieve a large enough sample size with a minimum of tests.

Results and Discussion

Table 1 shows the ingredients in each sample.

Table 2 shows the combination of products tested on each panel test.

Table 3 lists the mean preference and sensory scores and their standard deviations for each of the 24 different tests, with a total of 16 panelists. The sensory scores are further analyzed for sample differences.

Table 4 shows the effects of TSP addition. Part A compares samples with 20% added TSP and without TSP, all without pepper. The product containing the TSP, brown in color, had significantly better color (0.01 level) than the sample without TSP. Part B shows the same comparison with the addition of 0.2% pepper. Again the color of the TSP added sample was significantly better (0.05 level). Both of these comparisons involved 96 scores. Part C combines the results of Parts A and B. The sample with the added TSP had significantly better color (0.01 level). No other characteristic showed any significant difference, but it should be noted that the TSP was dark brown. This comparison involved 192 scores.

Table 1 - Ingredients in Different Samples

<u>Sample Number</u>	<u>Pepper</u>	<u>Salt (NaCl)</u>	<u>Onion Salt</u>	<u>Garlic Salt</u>	<u>TSP</u>
1	0.0	0.8	0.0	0.0	0.0
2	0.2	0.8	0.0	0.0	0.0
3	0.0	0.0	0.8	0.0	0.0
4	0.2	0.0	0.8	0.0	0.0
5	0.0	0.4	0.4	0.0	0.0
6	0.2	0.4	0.4	0.0	0.0
7	0.0	0.0	0.0	0.8	0.0
8	0.2	0.0	0.0	0.8	0.0
9	0.0	0.4	0.0	0.4	0.0
10	0.2	0.4	0.0	0.4	0.0
11	0.0	0.0	0.4	0.4	0.0
12	0.2	0.0	0.4	0.4	0.0
13	0.0	0.8	0.0	0.0	20
14	0.2	0.8	0.0	0.0	20
15	0.0	0.0	0.8	0.0	20
16	0.2	0.0	0.8	0.0	20
17	0.0	0.4	0.4	0.0	20
18	0.2	0.4	0.4	0.0	20
19	0.0	0.0	0.0	0.8	20
20	0.2	0.0	0.0	0.8	20
21	0.0	0.4	0.0	0.4	20
22	0.2	0.4	0.0	0.4	20
23	0.0	0.0	0.4	0.4	20
24	0.2	0.0	0.4	0.4	20

Table 2 - Combinations of Products on Individual Tests (Eight Member Panels)

<u>Test Number</u>	<u>Combinations Tested</u>
1	1 2 3 4 7 8
2	5 6 9 10 11 12
3	2 4 6 8 10 12
4	1 3 5 7 9 11
5	13 14 15 16 19 20
6	17 18 21 22 23 24
7	14 16 18 20 22 24
8	13 15 17 19 21 23

Table 3 - Preference Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>	
1	5.8	1.3	
2	6.4	1.5	
3	6.0	1.5	
4	6.3	1.1	
5	5.7	1.2	<u>Analysis of Variance</u>
6	6.1	1.2	
7	6.4	1.2	$F = 0.90$ (NSD)
8	6.4	1.4	
9	6.1	1.1	
10	6.6	1.2	
11	6.0	1.3	
12	6.6	1.1	
13	6.3	1.3	
14	6.1	1.4	
15	5.8	1.7	
16	6.3	1.6	
17	6.8	0.9	
18	6.8	1.1	
19	5.9	1.2	
20	6.3	1.1	
21	6.4	1.6	
22	6.3	1.3	
23	6.4	1.3	
24	6.3	1.3	

Table 4 - Color Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>	<u>Identity *</u>
1	6.4	1.2	b,c,d
2	6.5	1.6	b,c,d
3	6.1	1.2	a,b
4	6.4	1.2	b,c,d
5	5.8	1.3	a
6	6.3	1.1	a,b,c
7	6.3	1.4	a,b,c
8	6.5	1.5	b,c,d
9	5.8	1.5	a
10	6.6	1.0	b,c,d
11	5.8	1.2	a
12	6.8	0.9	c,d
13	6.9	0.5	d
14	6.8	0.9	c,d
15	6.9	0.5	d
16	6.9	0.5	d
17	6.6	0.6	b,c,d
18	6.9	0.9	d
19	6.8	0.9	b,c,d
20	6.9	0.6	d
21	6.5	1.0	b,c,d
22	6.8	0.6	c,d
23	6.8	0.9	c,d
24	6.8	0.7	c

* Scores preceded by the same letter are not statistically different.

Table 5 - Odor Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>	
1	6.3	1.1	
2	6.4	1.0	
3	6.1	1.3	
4	6.6	1.0	
5	6.3	1.1	<u>Analysis of Variance</u>
6	6.3	1.4	
7	6.6	1.3	$F = 0.90$ (NSD)
8	6.7	1.3	
9	6.3	1.0	
10	6.6	1.2	
11	6.3	1.3	
12	6.8	1.0	
13	6.3	1.3	
14	6.2	1.1	
15	5.7	1.7	
16	6.6	1.5	
17	6.5	0.8	
18	6.6	0.7	
19	6.3	1.2	
20	6.6	1.2	
21	6.8	1.5	
22	6.5	1.0	
23	6.4	1.0	
24	6.4	1.0	

Table 6 - Flavor Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>	
1	5.9	1.3	
2	6.4	1.4	
3	6.6	1.0	
4	6.4	1.3	
5	5.8	1.4	
6	6.3	1.8	
7	6.4	1.3	<u>Analysis of Variance</u>
8	6.4	1.7	
9	6.3	1.0	$F = 0.69$ (NSD)
10	6.6	1.1	
11	6.1	1.2	
12	6.6	1.3	
13	6.1	1.7	
14	6.1	1.5	
15	5.9	1.7	
16	6.3	1.7	
17	6.9	1.0	
18	6.8	0.9	
19	5.8	1.6	
20	6.5	2.0	
21	6.4	1.5	
22	6.4	1.3	
23	6.3	1.2	
24	6.5	1.2	

Table 7 - Texture Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>	<u>Identity *</u>	
1	5.7	1.1	d	
2	6.7	1.0	b	
3	6.6	1.0	a,b	
4	6.6	1.4	a,b	<u>Analysis of Variance</u>
5	6.7	1.1	b	
6	6.6	1.3	a, b	$F = 1.78$
7	6.7	1.1	b	(0.05 significance)
8	6.7	1.2	b	
9	6.6	1.1	a,b	
10	6.8	1.1	b	
11	6.5	1.2	a,b	
12	6.9	0.8	b	
13	7.1	0.9	b	
14	6.6	0.8	a,b	
15	7.0	0.7	b	
16	7.0	0.9	b	
17	7.1	0.7	b	
18	6.9	0.6	b	
19	6.5	1.2	a	
20	6.9	0.8	b	
21	6.9	1.2	b	
22	6.8	0.9	b	
23	6.6	1.0	a,b	
24	6.8	0.9	b	

Scores preceded by the same letter are not statistically different

Table 8 - Appearance Sensory Scores for Individual Samples

<u>Sample</u>	<u>Mean</u>	<u>Standard Deviation</u>
1	6.8	0.9
2	6.8	1.3
3	6.6	1.2
4	6.6	1.3
5	6.6	1.8
6	6.7	2.0
7	6.6	1.2
8	6.8	1.1
9	6.7	1.2
10	6.8	1.0
11	6.7	1.1
12	6.8	1.0
13	6.9	0.7
14	6.7	0.8
15	6.8	0.7
16	6.6	0.9
17	6.7	0.8
18	6.9	0.6
19	6.6	0.9
20	6.5	1.1
21	6.7	1.1
22	6.6	1.0
23	6.6	1.0
24	6.9	0.6

Table 9 - Effect of TSP on Sensory Scores

<u>Pref- erence</u>	<u>Sensory Scores</u>						<u>Tested Products</u>	
	<u>Color</u>	<u>Odor</u>	<u>Flavor</u>	<u>Texture</u>	<u>Appearance</u>	<u>N</u>		
A. No Pepper								
a. 20% TSP,								
<u>Mean</u>	6.3	6.7	6.2	6.2	6.9	6.7	96 13 15 17	
<u>SD</u>	1.3	0.8	1.3	1.5	1.0	0.9	19 21 23	
b. 0% TSP,								
<u>Mean</u>	6.0	6.0	6.4	6.1	6.6	6.7	96 1 3 5	
<u>SD</u>	1.2	1.3	1.1	1.2	1.1	1.0	7 9 11	
<u>F</u>	2.6	21.1**	0.8	0.6	2.4	0.1		
B. 0.2% Pepper								
a. 20% TSP								
<u>Mean</u>	6.4	6.9	6.5	6.4	6.8	6.7	96 14 16 18	
<u>SD</u>	1.3	0.6	1.1	1.3	0.8	1.1	20 22 24	
b. 0% TSP								
<u>Mean</u>	6.4	6.5	6.6	6.5	6.7	6.7	96 2 4 6	
<u>SD</u>	1.2	1.2	1.1	1.3	1.0	1.2	8 10 12	
<u>F</u>	0.1	6.4*	0.3	0.0	0.7	0.1		
C. Combined Data of A. and B.								
a. 20% TSP								
<u>Mean</u>	6.3	6.8	6.4	6.3	6.8	6.7	192 13 14 15 16	
<u>SD</u>	1.3	0.7	1.2	1.4	0.9	0.9	17 18 19 20	
							21 22 23 24	
b. 0% TSP								
<u>Mean</u>	6.2	6.3	6.5	6.3	6.7	6.7	192 1 2 3 4	
<u>SD</u>	1.2	1.3	1.1	1.9	1.1	1.0	5 6 7 8	
							9 10 11 12	
<u>F</u>	1.0	25.3**	1.0	0.	1.0	0.0		

* 0.05 % significance

** 0.01 significance

Table 10 shows the effects of pepper addition. Part A compares samples without TSP. The product with 0.2% pepper addition was significantly better for preference (0.05 level), color (0.01 level) and flavor (0.05 level). No other characteristic was significantly affected. Part B compares samples with 20% added TSP. There were no significant differences. Part C combines the results for Parts A and B. The samples with the added pepper were significantly preferred (0.05 level), had better color (0.01 level), better odor (0.05 level) and better flavor (0.05 level). No other differences were shown. Parts A and B used 96 scores. Part C used 192 scores.

Tables 11 to 16 show the effect of the addition of the various flavorings on sensory scores. In all the tables, Part A is the data for the combinations of TSP addition. Part a has no added pepper. Part b has 0.2% added pepper. Part B is the data for the combinations of pepper addition. Part c has no added TSP. Part d has 20% added TSP. No significant differences were shown for any of these scores. Each score is the mean of 32 panelist ratings.

Table 17 combines the flavoring scores to ignore the effect of pepper or TSP addition. Again, no significant differences occurred. A total of 64 panelist ratings were evaluated.

All the sensory scores showed that the patties prepared in this manner were quite acceptable. The scores were generally above 6.0. The range was 5.7 to 7.1 for all the variables evaluated.

The addition of 0.2% pepper gave a more preferred product. The addition of 20% TSP had no effect on organoleptic results except that it gave a preferred color. The flavoring additions gave a highly acceptable product, but no preferences were shown for any of the flavors.

Table 10 - Effect of Pepper on Sensory Scores

	<u>Pref- erence</u>	<u>Color</u>	<u>Odor</u>	<u>Sensory Scores</u>			<u>N</u>	<u>Tested Products</u>						
				<u>Flavor</u>	<u>Texture</u>	<u>Appearance</u>		<u>2</u>	<u>4</u>	<u>6</u>				
<u>A. No TSP</u>														
<u>a. 0.2% Pepper Addition</u>														
<u>Mean</u>	6.4	6.5	6.6	6.5	6.7	6.7	96	2	4	6				
<u>SD</u>	1.2	1.2	1.1	1.3	1.0	1.2		8	10	12				
<u>b. 0% Pepper Addition</u>														
<u>Mean</u>	6.0	6.0	6.4	6.1	6.6	6.7	96	1	3	5				
<u>SD</u>	1.2	1.3	1.1	1.2	1.1	1.0		7	9	11				
<u>F</u>	6.1*	6.7**	1.5	4.0	0.3	0.1								
<u>B. 20% TSP</u>														
<u>a. 0.2% Pepper Addition</u>														
<u>Mean</u>	6.4	6.9	6.5	6.4	6.8	6.7	96	14	16	18				
<u>SD</u>	1.3	0.8	1.3	1.5	1.0	0.9		20	22	24				
<u>b. 0% Pepper</u>														
<u>Mean</u>	6.3	6.7	6.2	6.2	6.9	6.7	96	13	15	17				
<u>SD</u>	1.3	0.8	1.3	1.5	1.0	0.9		19	21	23				
<u>F</u>	0.3	1.6	2.5	0.9	0.1	0.0								
<u>C. Combined Data of Parts A and B</u>														
<u>a. 0.2% Pepper Addition</u>														
<u>Mean</u>	6.4	6.7	6.5	6.4	6.8	6.7	192	2	4	6				
<u>SD</u>	1.3	1.0	1.1	1.7	0.9	0.9		10	12	14				
								18	20	22				
										24				
<u>b. 0% Pepper Addition</u>														
<u>Mean</u>	6.1	6.4	6.3	6.2	6.7	6.7	192	1	3	5				
<u>SD</u>	1.3	1.6	1.2	1.4	1.0	0.9		9	11	13				
								17	19	21				
										23				
<u>F</u>	4.2*	7.7**	4.0	4.2*	0.1	0.0								

* - 0.05 significance

** 0.01 significance

Table 11 - Effect of Added Flavorings on Preference Scores

Pepper	TSP	Percent Additives			Mean	SD	N	Tested Products					
		Salt (NaCl)	Onion Salt	Garlic Salt									
A. TSP Addition													
a. No Added Pepper													
0.0	NA	0.8	0.0	0.0	6.0	1.3	32	1	13				
0.0	NA	0.0	0.8	0.0	5.9	1.6	32	3	15				
0.0	NA	0.0	0.0	0.8	6.1	1.2	32	7	19				
0.0	NA	0.4	0.4	0.0	6.2	1.2	32	5	17				
0.0	NA	0.0	0.4	0.4	6.2	1.3	32	11	23				
0.0	NA	0.4	0.0	0.4	6.2	1.3	32	9	21				
$F = 0.3$ (NSD)													
b. 0.2 % Added Pepper													
0.2	NA	0.8	0.0	0.0	6.3	1.4	32	2	14				
0.2	NA	0.0	0.8	0.0	6.3	1.3	32	4	16				
0.2	NA	0.0	0.0	0.8	6.4	1.2	32	8	20				
0.2	NA	0.4	0.4	0.8	6.5	1.2	32	6	18				
0.2	NA	0.0	0.4	0.4	6.5	1.2	32	12	24				
0.2	NA	0.4	0.0	0.4	6.4	1.2	32	10	22				
$F = 0.2$ (NSD)													
B. Pepper Addition													
c. No Added TSP													
NA	0	0.8	0.0	0.0	6.1	1.4	32	1	2				
NA	0	0.0	0.8	0.0	6.1	1.3	32	3	4				
NA	0	0.00	0.0	0.8	6.4	1.3	32	7	8				
NA	0	0.4	0.4	0.0	5.9	1.2	32	5	6				
NA	0	0.0	0.4	0.4	6.3	1.2	32	11	12				
NA	0	0.34	0.0	0.4	6.3	1.1	32	9	10				
$F = 0.7$ (NSD)													
d. 20% Added TSP													
NA	20	0.8	0.0	0.0	6.2	1.3	32	13	14				
NA	20	0.0	0.8	0.0	6.0	1.6	32	15	16				
NA	20	0.0	0.0	0.8	6.1	1.2	32	19	20				
NA	20	0.4	0.4	0.0	6.8	1.0	32	17	18				
NA	20	0.0	0.4	0.4	6.4	1.3	32	23	24				
NA	20	0.4	0.0	0.4	6.3	1.4	32	21	22				
$F = 1.4$ (NSD)													

Table 12 - Effect of Added Flavorings on Sensory Color Scores

Pepper	TSP	Percent Additives			Mean	SD	N	Tested Products					
		Salt (NaCl)	Onion Salt	Garlic Salt									
A. TSP Addition													
a. No Added Pepper													
0.0	NA	0.8	0.0	0.0	6.7	0.9	32	1	13				
0.0	NA	0.0	0.8	0.0	6.5	1.0	32	3	15				
0.0	NA	0.0	0.0	0.8	6.2	1.1	32	7	19				
0.0	NA	0.4	0.4	0.0	6.2	1.1	32	5	17				
0.0	NA	0.0	0.4	0.4	6.3	1.1	32	11	23				
0.0	NA	0.4	0.0	0.4	6.1	1.3	32	9	21				
$F = 1.1$ (NSD)													
b. 0.2% Added Pepper													
0.2	NA	0.8	0.0	0.0	6.7	1.2	32	2	14				
0.2	NA	0.0	0.8	0.0	6.6	0.9	32	4	16				
0.2	NA	0.0	0.0	0.8	6.7	1.1	32	8	20				
0.2	NA	0.4	0.4	0.0	6.6	1.0	32	6	18				
0.2	NA	0.0	0.4	0.4	6.8	0.8	32	12	24				
0.2	NA	0.4	0.0	0.4	6.7	0.8	32	10	22				
$F = 0.1$ (NSD)													
B. Pepper Addition													
c. No Added TSP													
NA	0	0.8	0.0	0.0	6.5	1.3	32	1	2				
NA	0	0.0	0.8	0.0	6.3	1.2	32	3	4				
NA	0	0.0	0.0	0.8	6.4	1.4	32	7	8				
NA	0	0.4	0.4	0.0	6.1	1.2	32	5	6				
NA	0	0.0	0.4	0.4	6.3	1.2	32	11	12				
NA	0	0.4	0.0	0.4	6.2	1.3	32	9	10				
$F = 0.4$ (NSD)													
d. 20% Added TSP													
NA	20	0.8	0.0	0.0	6.8	0.7	32	13	14				
NA	20	0.0	0.8	0.0	6.9	0.5	32	15	16				
NA	20	0.0	0.0	0.8	6.8	0.7	32	19	20				
NA	20	0.4	0.4	0.0	6.8	0.7	32	17	18				
NA	20	0.0	0.4	0.4	6.8	0.8	32	23	24				
NA	20	0.4	0.0	0.4	6.6	0.8	32	21	22				
$F = 0.5$ (NSD)													

Table 13 - Effect of Added Flavorings on Sensory Odor Scores

Pepper	TSP	Percent Additive			Mean	SD	N	Tested Products					
		Salt (NaCl)	Onion Salt	Garlic Salt									
A. TSP Addition													
a. No Added Pepper													
0.0	NA	0.8	0.0	0.0	6.3	1.2	32	1	13				
0.0	NA	0.0	0.8	0.0	6.1	1.5	32	3	15				
0.0	NA	0.0	0.0	0.8	6.4	1.0	32	7	19				
0.0	NA	0.4	0.4	0.0	6.4	1.0	32	5	17				
0.0	NA	0.0	0.4	0.4	6.3	1.1	32	11	23				
0.0	NA	0.4	0.0	0.4	6.3	1.2	32	9	21				
$F = 0.2$ (NSD)													
b. 0.2% Added Pepper													
0.2	NA	0.8	0.0	0.0	6.3	1.0	32	2	14				
0.2	NA	0.0	0.8	0.0	6.6	1.2	32	4	16				
0.2	NA	0.0	0.0	0.8	6.6	1.2	32	8	20				
0.2	NA	0.4	0.4	0.0	6.5	1.1	32	6	18				
0.2	NA	0.0	0.4	0.4	6.6	1.0	32	12	24				
0.2	NA	0.4	0.0	0.4	6.6	1.1	32	10	22				
$F = 0.4$ (NSD)													
B. Pepper Addition													
c. No Added TSP													
NA	0	0.8	0.0	0.0	6.3	1.0	32	1	2				
NA	0	0.0	0.8	0.0	6.6	1.0	32	3	4				
NA	0	0.0	0.0	0.8	6.6	1.3	32	7	8				
NA	0	0.4	0.4	0.0	6.3	1.3	32	5	6				
NA	0	0.0	0.4	0.4	6.5	1.1	32	11	12				
NA	0	0.4	0.0	0.4	6.5	1.0	32	9	10				
$F = 0.5$ (NSD)													
d. 20% Added TSP													
NA	20	0.8	0.0	0.0	6.3	1.2	32	13	14				
NA	20	0.0	0.8	0.0	6.2	1.6	32	15	16				
NA	20	0.0	0.0	0.8	6.4	1.2	32	19	20				
NA	20	0.4	0.4	0.0	6.6	0.8	32	17	18				
NA	20	0.0	0.4	0.4	6.4	1.0	32	23	24				
NA	20	0.4	0.0	0.4	6.3	1.3	32	21	22				
$F = 0.4$ (NSD)													

Table 14 - Effect of Added Flavorings on Sensory Flavor Scores

Pepper	TSP	Percent Additives					Mean	SD	N	<u>Tested Products</u>					
		Salt (NaCl)	Onion Salt	Garlic Salt											
<u>A. TSP Addition</u>															
<u>a. No Added Pepper</u>															
0.0	NA	0.8	0.0	0.0		6.0	1.5	32	1	13					
0.0	NA	0.0	0.8	0.0		6.0	1.5	32	3	15					
0.0	NA	0.0	0.0	0.8		6.3	1.3	32	7	19					
0.0	NA	0.4	0.4	0.0		6.3	1.3	32	5	17					
0.0	NA	0.0	0.4	0.4		6.2	1.2	32	11	23					
0.0	NA	0.4	0.0	0.4		6.4	1.2	32	9	21					
<u>F = 0.5 (NSD)</u>															
<u>b. 0.2% Added Pepper</u>															
0.2	NA	0.8	0.0	0.0		6.3	1.4	32	2	14					
0.2	NA	0.0	0.8	0.0		6.3	1.5	32	4	16					
0.2	NA	0.0	0.0	0.8		6.5	1.4	32	8	20					
0.2	NA	0.4	0.4	0.0		6.5	1.1	32	6	18					
0.2	NA	0.0	0.4	0.4		6.6	1.2	32	12	24					
0.2	NA	0.4	0.0	0.4		6.5	1.2	32	10	22					
<u>F = 0.3 (NSD)</u>															
<u>B. Pepper Addition</u>															
<u>c. No Added TSP</u>															
NA	0.0	0.8	0.0	0.0		6.1	1.4	32	1	2					
NA	0.0	0.0	0.8	0.0		6.2	1.3	32	3	4					
NA	0.0	0.0	0.0	0.8		6.4	1.5	32	7	8					
NA	0.0	0.4	0.4	0.0		6.0	1.3	32	5	6					
NA	0.0	0.0	0.4	0.4		6.3	1.2	32	11	12					
NA	0.0	0.4	0.0	0.4		6.5	1.0	32	9	10					
<u>F = 0.6 (NSD)</u>															
<u>d. 20% Added TSP</u>															
NA	20	0.8	0.0	0.0		6.1	1.5	32	13	14					
NA	20	0.0	0.8	0.0		6.1	1.7	32	15	16					
NA	20	0.0	0.0	0.8		6.1	1.4	32	19	20					
NA	20	0.4	0.4	0.0		6.8	1.0	32	17	18					
NA	20	0.0	0.4	0.4		6.4	1.2	32	23	24					
NA	20	0.4	0.4	0.4		6.4	1.4	32	21	22					
<u>F = 1.3 (NSD)</u>															

Table 15 - Effect of Added Flavorings on Sensory Texture Scores

Pepper	TSP	Percent Additives				Mean	SD	N	<u>Tested Products</u>					
		Salt (NaCl)	Onion Salt	Garlic Salt										
A. TSP Addition														
a. No Added Pepper														
0.0	NA	0.8	0.0	0.0	6.9	1.0	32	1 13						
0.0	NA	0.0	0.8	0.0	6.8	0.9	32	3 15						
0.0	NA	0.0	0.0	0.8	6.9	0.9	32	7 19						
0.0	NA	0.4	0.4	0.0	6.9	0.9	32	5 17						
0.0	NA	0.0	0.4	0.4	6.6	1.1	32	11 23						
0.0	NA	0.4	0.0	0.4	6.8	1.1	32	9 21						
$F = 0.6$ (NSD)														
b. 0.2% Added Pepper														
0.2	NA	0.8	0.0	0.0	6.7	0.9	32	2 14						
0.2	NA	0.0	0.8	0.0	6.8	0.9	32	4 16						
0.2	NA	0.0	0.0	0.8	6.8	1.0	32	8 20						
0.2	NA	0.4	0.4	0.0	6.7	1.0	32	6 18						
0.2	NA	0.0	0.4	0.4	6.8	0.9	32	12 24						
0.2	NA	0.4	0.0	0.4	6.8	0.9	32	10 22						
$F = 0.2$ (NSD)														
B. Pepper Addition														
c. No Added TSP														
NA	0.0	0.8	0.0	0.0	6.7	1.0	32	1 2						
NA	0.0	0.8	0.8	0.0	6.6	1.0	32	3 4						
NA	0.0	0.0	0.0	0.8	6.7	1.1	32	7 8						
NA	0.0	0.4	0.4	0.0	6.6	1.2	32	5 6						
NA	0.0	0.0	0.4	0.4	6.7	1.0	32	11 12						
NA	0.0	0.4	0.0	0.4	6.7	1.1	32	9 10						
$F = 0.1$ (NSD)														
d. 20% Added TSP														
NA	20	0.8	0.0	0.0	6.8	0.9	32	13 14						
NA	20	0.0	0.8	0.0	7.0	0.8	32	15 16						
NA	20	0.0	0.0	0.8	6.7	1.0	32	19 20						
NA	20	0.4	0.4	0.0	7.0	0.6	32	17 18						
NA	20	0.0	0.4	0.4	6.7	1.0	32	23 24						
NA	20	0.4	0.0	0.4	6.8	1.0	32	21 22						
$F = 0.7$ (NSD)														

Table 16 - Effect of Added Flavorings on Sensory Appearance Scores

<u>Percent Additives</u>						<u>Mean</u>	<u>SD</u>	<u>N</u>	<u>Tested Products</u>	
<u>Pepper</u>	<u>TSP</u>	<u>Salt (NaCl)</u>	<u>Onion Salt</u>	<u>Garlic Salt</u>						
A. TSP Addition										
a. No Added Pepper										
0.0	NA	0.8	0.0	0.0		6.8	0.8	32	1	3
0.0	NA	0.0	0.8	0.0		6.7	1.0	32	3	15
0.0	NA	0.0	0.0	0.8		6.6	1.0	32	7	19
0.0	NA	0.4	0.4	0.0		6.6	1.0	32	5	17
0.0	NA	0.0	0.4	0.4		6.7	1.1	32	11	3
0.0	NA	0.4	0.0	0.4		6.7	1.1	32	9	21
<i>F</i> = 0.2 (NSD)										
b. 0.2% Added pepper										
0.2	NA	0.8	0.0	0.0		6.7	0.9	32	2	14
0.2	NA	0.0	0.8	0.0		6.6	1.1	32	4	16
0.2	NA	0.0	0.0	0.8		6.7	1.1	32	7	8
0.2	NA	0.4	0.4	0.0		6.6	1.1	32	5	6
0.2	NA	0.0	0.4	0.4		6.8	1.0	32	11	12
0.2	NA	0.4	0.0	0.4		6.7	1.1	32	9	10
<i>F</i> = 0.3 (NSD)										
B. Pepper Addition										
a. No Added TSP										
NA	0.0	0.8	0.0	0.0		6.8	0.9	32	1	2
NA	0.0	0.0	0.8	0.0		6.6	1.2	32	3	4
NA	0.0	0.0	0.0	0.8		6.7	1.1	32	7	8
NA	0.0	0.4	0.4	0.0		6.6	1.1	32	5	6
NA	0.0	0.0	0.4	0.4		6.8	1.0	32	11	12
NA	0.0	0.4	0.0	0.4		6.7	1.1	32	9	10
<i>F</i> = 0.1 (NSD)										
b. 20% Added TSP										
NA	20	0.8	0.0	0.0		6.8	0.8	32	13	14
NA	20	0.0	0.8	0.0		6.7	0.8	32	15	16
NA	20	0.0	0.0	0.8		6.5	1.0	32	19	20
NA	20	0.4	0.4	0.0		6.8	0.7	32	17	18
NA	20	0.0	0.4	0.4		6.8	0.8	32	23	24
NA	20	0.4	0.0	0.4		6.7	1.0	32	21	22
<i>F</i> = 0.4 (NSD)										

Table 17 - Effect of Salt, Onion Salt and Garlic Salt on Sensory Scores

Percent Additive								Tested Products			
Salt (NaCl)	Onion Salt	Garlic Salt	Pref- erence	Color	Odor	Flavor	Texture	Appear- ance			
0.8	0.0	0.0							1	12	13
		mean	6.1	6.7	6.3	6.1	6.8	6.8			24
		SD	1.4	1.1	1.1	1.4	1.0	0.8			
0.0	0.8	0.0							3	4	15
		mean	6.1	6.6	6.4	6.1	6.8	6.7			16
		SD	1.4	0.9	1.4	1.5	0.9	1.0			
0.0	0.0	0.8							7	8	19
		mean	6.3	6.6	6.5	6.3	6.7	6.6			20
		SD	1.2	1.1	1.4	1.4	1.1	1.0			
0.4	0.4	0.0							5	6	17
		mean	6.3	6.4	6.4	6.4	6.8	6.7			18
		SD	1.2	1.1	1.0	1.2	0.9	0.9			
0.0	0.4	0.4							11	12	23
		mean	6.3	6.5	6.5	6.4	6.7	6.8			24
		SD	1.2	1.0	1.1	1.2	1.0	0.9			
0.4	0.0	0.4							9	10	21
		mean	6.3	6.4	6.	6.4	6.8	6.7			22
		SD	1.3	1.1	1.2	1.2	1.0	1.1			
	<i>F</i>		0.5	0.6	0.3	0.6	0.2	0.2			

All scores showed no significant differences. Mean of 64 scores.

Table 8 shows the proximate analysis and phosphate content of the samples using standard AOAC methods (1970). The analyses showed that the TSP containing ground beef is well matched to water, total protein and fat content.

Table 18 - Proximate Analysis of Raw Product

TSP Added	Percent Water	Percent Protein	Percent Fat	Percent Ash	Percent Fiber	Percent Phosphorous
no	68.7	20.3	9.3	1.6	0.1	0.28
yes	68.8	20.2	9.6	1.5	0.1	0.27

Summary

These sensory studies show that a highly acceptable irradiation sterilized ground beef product can be prepared with the addition of different flavorings. TSP can also be used in the product preparation.

References

- Pearson, A.A., 1973. What's New in Research. National Provisioner, 169:15
- Food and Nutrition Service, USDA, 1971, FNS Notice 219
- Cohen, J.S., G. W. Shults and V. Mason, 1976. Variables Affecting the Acceptance of Irradiated Ground Beef Products, II. Effects of Textured Soy Protein and Fat Levels
- Cross, H.R., M.S. Stanfield, E.C. Green, J.M. Heinemeyer and A.B. Hollick, 1975. Effect of Fat and Textured Soy Protein Content on Consumer Acceptance of Ground Beef. J. of Food Science, 40: 1331
- Loveridge, V., 1994. Quality Assessment of Irradiated Foods AM94-18
- Peryam, D.R. and F.J. Pilgrim, 1957. Hedonic Scale Method for Measuring Food Preferences. Food Technology, 11 (9), supplement, 9.
- Snedecor, G.W. and W.G. Cochran, 1967. "Statistical Methods", 6th ed., Iowa State University Press, Ames, IA
- Association of Official Analytical Chemists (AOAC), 1970. Methods of Analysis, 11th ed. Washington, D.C.